



# EIBENSTOCK

Elektrowerkzeuge

**PROFESSIONAL**  
**GERMAN** SINCE 1919  
**POWER TOOLS**



**Mineral dust may cause cancer!**



Hazardous dust (e. g. silica dust) has to be suctioned by a Dust Class M Vacuum Cleaner!  
For our electric power tools we are recommending to use a Vacuum Cleaner of our Eibenstock DSS range!

Now almost  
dust-free by  
folding hood

INNOVATION

INNOVATION

INNOVATION


# WALL CHASER

EMF 150.1

Powerful for the hardest materials



### NEW almost dust-free immersion and milling with new folding hood



Ø 150

Specifications	EMF 150.1
Power input	2300 W
Rated voltage	230 V ~
Rated speed	4300 rpm
No-load speed	7500 rpm
Disc diameter	150 mm
Milling depth/Slot width	max. 45 mm/max. 46 mm
Spindle connection	Ø 22.2 mm
Weight	6.1 kg
Order no.	0671A000
Supplied in a case incl. 2 diamond blades Premium (concrete) and assembly tools	

#### USE:

- Milling of slots and ducts in concrete, sand-lime brick, brickwork
- Electrical installations, sanitary, heating and ventilation construction

#### FEATURES:

- Powerful 2300 W motor
- Electronic – soft start, temperature control and over current cut-off, overload indication
- Parallel handle position – comfortable working position
- Locking for suction hose – avoids unintentional loosening of the hose during milling
- Adjustable milling depth – without the need for a tool
- Spindle lock – easy tool change
- Slim design, small distance between dust hood and diamond blades for working close to the edge up to 18 mm
- Slot widths of 7-46 mm adjustable in 1 mm steps
- Closed hood – optimal air flow, easy removal of fragments
- Machine works in cutting direction – allows a comfortable handling
- Nozzle diameter 35 mm – direct connection of industrial vacuum cleaner of EIBENSTOCK DSS series

#### EIBENSTOCK „Easy Break Out“ – fast breaking by a center slot (distance disks for the using of 3 blades)



**INNOVATION**

**INNOVATION**

**INNOVATION**

Elektrowerkzeuge GmbH Eibenstock  
Auersbergstraße 10  
08309 Eibenstock, Germany

Phone: +49 (0) 3 77 52 - 50 30  
Fax: +49 (0) 3 77 52 - 20 19  
Internet: [www.eibenstock.com](http://www.eibenstock.com)  
E-Mail: [office@eibenstock.com](mailto:office@eibenstock.com)

Certified according to DIN EN ISO 9001:2015  
Technical changes excepted! Illustrations may vary!

Your distributor: